


Plan



	D	MH C	B	A
Open ditch				
Headwall				
		600 dia concrete pipe	750 dia concrete pipe	
Ground Level		66.50	66.36	66.36
Invert/Bed Level	65.56	65.25	64.91	64.55
Proposed Invert Level	65.56	65.20	64.70	64.40
Distance	0.0	62.0	122	202

Longitudinal Section

Notes:

Issue	By	Date	Amendments
B	RS	17/03/16	Road gully new PH connection catchpit MH added
A	RS	10/03/16	Original Issue

MONSON

Broadway Chambers, High Street, Crowborough, East Sussex TN6 1DF
 Tel: (01892) 601370 , Fax: (01892) 601379
 E-mail: enquiries@monson.co.uk

71 High Street, Wallingford, Oxfordshire OX10 0BX
 Tel: (01865) 689770
 E-mail: wallingford@monson.co.uk

Project:
**Flood Alleviation Scheme
 Main Street
 West Hagbourne**

Original Drawing: Prepared Mon Approved DB
 Origin: Wallingford Size A3
 Current Issue: Approved RS Date 17/03/16
 Drawing Status: **Tender**

Description:
Plan

Scale:
 1:1000
 1:250
 1:00

Dwg No:
7003X/02

Issue:
B